

# COSMETIC PRODUCT DATA INFORMATION SHEET

This information sheet is in the format as devised for cosmetics by the UK Cosmetic, Toiletry and Perfumery Association (CTPA)

Company name: **Daisy's Nail Company Limited**

Contact details: tel. 03337720965; address: **Unit 1 G3 Business Park, Dolphins Road, Shoreham-By- Sea, BN436AN**; email [contact@thegelbottle.com](mailto:contact@thegelbottle.com)

Date: **11 November 2019**

Product name and/or Reference number: **Builder Gel (Nude)**

## Information:

### 1. Product description General information

#### Composition

CHEMICAL NAME	INCI NAME	CAS No.	EC No.	(%)
Polyurethane acrylate oligomer	Di- HEMA Trimethylhexyl Dicarbamate	41137- 60- 4/ 72869- 86- 4	276- 957- 5	65- 67
Isobornyl Methacrylate	Isobornyl Methacrylate	7534- 94- 3	213- 404- 1	8- 13
Hydroxycyclohexyl phenyl ketone	Hydroxycyclohexyl phenyl ketone	947- 19- 3		1- 2
Titanium Dioxide	Titanium Dioxide/ CI 77891	13463- 67- 7		0.5- 2
Red 7	Red 7/ CI 15850	5281- 04- 9		0.1- 1
Methacrylic acid	Methacrylic acid	79- 41- 4		3- 5
Violet 2	CI 60725	81- 48- 1		0.1- 1

#### Physical and Chemical Properties:

<b>FORM</b>	Liquid	<b>MELTING POINT/ MELTING RANGE</b>	No data	<b>FLAMMABILITY (solid, gaseous)</b>	No Data
<b>COLOUR</b>	Blue	<b>BOILING POINT/ BOILING RANGE</b>	No data	<b>AUTO IGNITING</b>	Not available
<b>ODOUR</b>	Characteristic acrylic	<b>FLASH POINT</b>	100° C	<b>DANGER OF EXPLOSION</b>	Not available
<b>pH</b>	Not available	<b>OXIDIZING PROPERTIES</b>	Not available	<b>EXPLOSION LIMITS: lower upper</b>	Not available Not available

<b>SPECIFIC GRAVITY</b>	<b>1.15</b>	<b>VAPOUR PRESSURE</b>	<b>(mm Hg) @ 20° C &lt;0.01</b>	<b>EVAPORATION RATE</b>	<b>Not available</b>
<b>SOLUBILITY IN WATER</b>	<b>Not soluble in water</b>	<b>VAPOUR DENSITY</b>	<b>No data</b>	<b>VISCOSITY</b>	<b>No Data</b>

## 2. STABILITY AND CHEMICAL REACTIVITY INFORMATION

Stability: Normally stable

Fumes produced when heated to decomposition may include: CO, CO<sub>2</sub>

Incompatibility: Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron rust and strong bases

Hazardous polymerization: May occur- uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers

## 3. HAZARD INFORMATION

**Skin Irritation: Category 2**

**Eye Irritation: Category 2**

**Specific target organ toxicity: Single exposure category 3**

**Skin sensitivity: 1**

### Hazard statements

H 315 Causes skin irritation

H 319 Causes serious eye irritation

H 335 May cause respiratory irritation.

H 317 May cause an allergic skin reaction

H 302 Harmful if swallowed

H 312 Harmful in contact with skin

H 400 Very toxic to aquatic life

H 314 Causes severe skin burns and eye damage

H 226 Flammable liquid and vapor

H 332 Harmful if inhaled

### Precautionary statements

P 264 Wash your hands thoroughly after handling

P 280 Wear protective gloves/ protective clothing/ eye and face protection

P 305 P 351 P 338 If in eyes: Rinse thoroughly with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P 337 P 313 If eye irritation persists: Get medical advice/ attention

P 302 P 352 If on skin: Wash with plenty of soap and water

P 321 P 332 + P313 If skin irritation occurs: Get medical advice/ advice

P 362 Take off contaminated clothing and wash before reuse

P 261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P 271 Use only outdoors or in a well ventilated area

P 304 P 340 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P 312 Call a poison center or doctor/ physician if you feel well

P 403 P 233 Store in a well ventilated place. Keep container tightly closed

P 405 Store locked up

P 272 Contaminated work clothing should not be allowed out of workplace

P 333 P 313 If skin irritation or rash occurs: Get medical advice/ attention

P 363 Wash contaminated clothing before reuse

P 501 Dispose of contents/ container to waste container

**Handling advice Precautions  
during use Exposure controls/  
Personal protection**

Ensure good ventilation

Avoid contact with skin, eyes and clothing Do not heat or spray

Wear impermeable gloves

Goggles or eye protection is recommended during product refilling Wash after use

If product needs to be warmed above room temperature for proper viscosity, product may be heated to a maximum of 60 degrees Celsius for not more than 24 hours, via a hot box or hot room set to that maximum temperature

Do not use localised heat sources or steam

Do not overheat and refrain from multiple heating sessions

#### **4. STORAGE CONSIDERATIONS**

Store > 100 ° F exposure to light, loss of dissolved air, loss of polymerization inhibitor, contamination with incompatible

#### **5. FIRST AID MEASURES**

**General:** Injured person is removed from the endangered environment. The contaminated, soaked clothing should be removed immediately. Unconscious, injured or spastic condition. Never give anything by mouth.

**Inhalation:** Affected person to fresh air and keep at rest in. Medical care is case of complaint to be considered.

#### **6. ACCIDENTAL RELEASE MEASURES (SPILLAGES ETC.)**

Remove potential sources of ignition and increase ventilation. Prevent product from entering drains or open water.

Soak up with inert absorbent material and dispose. Do not flush with water or aqueous cleansing agents. Avoid exposure to skin, eyes and clothing

#### **RISK OF EXPLOSION AND IGNITION\***

##### **Flash point- 100 degrees Celsius**

Extinguishing media CO<sub>2</sub>, sand, extinguishing foam/powder. Do not use water  
Uncontrolled polymerisation may occur at high temperatures resulting in explosions or rupture of storage containers

#### **7. DISPOSAL INFORMATION**

Not a hazardous waste. Dispose of according to local government regulations.

#### **8. TRANSPORTATION**

No restrictions.

\*Please Note: Finished cosmetic products are exempt from hazard symbol labelling requirement.